




GAS COOKERS

product range and specifications



Vimitex is a highly competitive, professional catering equipment manufacturer. Since 1973 we have been designing and producing commercial kitchen appliances in our factory in Greece.

Being a true customer-oriented company, we are committed to satisfying our customers' needs through extensive research based on feedback we have collected throughout the years.

Our heavy-duty gas cookers offer great cooking power, energy efficiency, uniform baking and simplicity of construction, which ensures a long-term trouble-free operation. A great choice for the most enthusiastic chef.



204STVE

Our most popular gas cooker is an ideal solution for mid-sized restaurants but offers great possibilities to smaller catering establishments as well. Four very powerful burners allow for really fast cooking times. The static oven ensures even heat distribution and perfect baking across a large GN 2/1 baking tray or two GN 1/1 trays that can be used at the same time to the convenience of the chef.

Product family	Gas Cooker
Type	4 burners gas cooktop with static oven
Oven capacity	3 oven pack positions
Power	32 kW
Dimensions	800 x 700 x 850 (985) mm
Power supply	Gas: LPG, natural gas

Technical Data / Cooktop	Technical Data / Oven
Burners: 4x6kW	Oven burner: 8kW
Burner size: Ø120mm	Tray dimensions: gastronorm GN2/1 or 2x GN1/1
Single ring burner	Cooking chamber: stainless steel/steel
Pan support: cast iron/iron	Safety control device: pilot flame
Safety control device: thermocouple	Ignition: piezoelectric
Pan size: Ø 140-350mm	Thermostatic control: 100°-340°
Removable burners	Removable rack guides
Removable drip bowl	Types of gas: G20: 20mbar, G30/G31: 28-30/37mbar, G30/G3: 50mbar
Progressive control knobs	Material : stainless steel / iron / cast iron
	Adjustable feet
	Net weight: 85 kg
	Packaging dimensions: 850 x 750 x 1100mm

Accessories

Cast Iron reversible griddle 27x21cm (ribbed and smooth)

Cast Iron reversible griddle 47x27cm (ribbed and smooth)

Round cast Iron reversible griddle Ø 25-53cm (ribbed and smooth)

Cast iron plate "coup de feu"

Ring wok Ø 25

Gastronorm GN2/1 chrome grid

Pan support: cast iron / iron

set of casters

Product designed by [Athanasios Babalis](#)

Lazaridis D. Georgios & Co. EVEC
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel: +30 2310 688 020 Fax: +30 2310 688 021
vimitex@vimitex.gr
www.vimitex.gr



VIMITEX
TECHNOLOGY AND QUALITY

206STVE

A must-have appliance for every chef in large hotels and restaurants where *haute cuisine* requires the use of many pans and pots at the same time as well as full control of high powered burners. Under the cooktop a static oven ensures even heat distribution and perfect baking across a large GN 2/1 tray or two GN 1/1 trays that can be used simultaneously.

Product family	Gas Cooker
Type	6 burners gas cooktop with static oven
Oven capacity	3 oven pack positions
Power	44 kW
Dimensions	1200 x 700 x 850 (985) mm
Power supply	Gas: LPG, natural gas

Technical Data / Cooktop

Burners: 6x6kW
Burner size: Ø120mm
Single ring burner
Pan support: cast iron/iron
Safety control device: thermocouple
Pan size: Ø 140-350mm
Removable burners
Removable drip bowl
Progressive control knobs

Technical Data / Oven

Oven burner: 8kW
Tray dimensions: gastronorm GN2/1 or 2x GN1/1
Cooking chamber: stainless steel/steel
Safety control device: pilot flame
Ignition: piezoelectric
Thermostatic control: 100°-340°
Removable rack guides
Storage cupboard
Types of gas: G20: 20mbar, G30/G31: 28-30/37mbar, G30/G3: 50mbar
Material : stainless steel / iron / cast iron
Adjustable feet
Net weight: 95 kg
Packaging dimensions: 1250 x 750 x 1100mm

Accessories

Cast Iron reversible griddle 27x21cm (ribbed and smooth)
Cast Iron reversible griddle 47x27cm (ribbed and smooth)
Round cast Iron reversible griddle Ø 25-53cm (ribbed and smooth)
Cast iron plate "coup de feu"
Ring wok Ø 25
Gastronorm GN2/1 chrome grid
Pan support: cast iron / iron

Product designed by [Athanasios Babalis](#)

Lazaridis D. Georgios & Co. EVEE
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel: +30 2310 688 020 Fax: +30 2310 688 021
vimitex@vimitex.gr
www.vimitex.gr



206STVL

This heavy duty, extra large gas cooker is the perfect solution for hotels, restaurants and other foodservice establishments where large quantities of food are prepared daily. The high temperature in the oven is easily spread out through a carefully designed flap system, which ensures perfect roasting across the extra large baking tray (93x65cm) it can accommodate. Six very powerful burners on the cooktop provide very fast cooking times so as to satisfy the demands of busy commercial kitchens.

Product family	Gas Cooker
Type	6 burners gas cooktop with static oven
Oven capacity	3 oven pack positions
Power	44 kW
Dimensions	1200 x 700 x 850 (985) mm
Power supply	Gas: LPG, natural gas

Technical Data / Cooktop	Technical Data / Oven
Burners: 6x6kW	Oven burner: 8kW
Burner size: Ø120mm	Tray dimensions: 930 x 650 mm
Single ring burner	Cooking chamber: stainless steel/steel
Pan support: cast iron/iron	Safety control device: pilot flame
Safety control device: thermocouple	Ignition: piezoelectric
Pan size: Ø 140-350mm	Thermostatic control: 100°-340°
Removable burners	Removable rack guides
Removable drip bowl	Types of gas: G20: 20mbar, G30/G31: 28-30/37mbar, G30/G3: 50mbar
Progressive control knobs	Material : stainless steel / iron / cast iron
	Adjustable feet
	Net weight: 95 kg
	Packaging dimensions: 1250 x 750 x 1100mm

Accessories

Cast Iron reversible griddle 27x21cm (ribbed and smooth)

Cast Iron reversible griddle 47x27cm (ribbed and smooth)

Round cast Iron reversible griddle Ø 25-53cm (ribbed and smooth)

Cast iron plate "coup de feu"

Ring wok Ø 25

930 x 650 mm chrome grid

Pan support: cast iron / iron

Product designed by [Athanasios Babalis](#)

Lazaridis D. Georgios & Co. EVEE
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel: +30 2310 688 020 Fax: +30 2310 688 021
vimitex@vimitex.gr
www.vimitex.gr



VIMITEX
TECHNOLOGY AND QUALITY

206STVCF

This particular model is for our French customers and those familiar with French cuisine who always ask for a *coupe de feu* plate for their cooking. The range top, apart from the warming plate in the middle, is equipped with four high-powered burners that fully cover the needs of a large commercial kitchen. At the lower part there is a very powerful GN 2/1 or 2x GN 1/1 gas static oven carefully designed for a reliable and efficient cooking performance.

Product family	Gas Cooker
Type	4 burner gas cooktop with <i>coup de feu</i> plate and static oven
Oven capacity	3 oven pack positions
Power	39 kW
Dimensions	1200 x 700 x 850 (985) mm
Power supply	Gas: LPG, natural gas

Technical Data / Cooktop	Technical Data / Oven
Burners: 4x6kW	Oven burner: 8kW
Burner size: Ø120mm	Tray dimensions: gastronorm GN2/1 or 2x GN1/1
Coup de feu burner: 7kW	Cooking chamber: stainless steel/steel
Single ring burner	Safety control device: pilot flame
Pan support: cast iron/iron	Ignition: piezoelectric
Safety control device: thermocouple	Thermostatic control: 100°-340°
Pan size: Ø 140-350mm	Removable rack guides
Removable burners	Types of gas: G20: 20mbar, G30/G31: 28-30/37mbar, G30/G3: 50mbar
Removable drip bowl	Material : stainless steel / iron / cast iron
Progressive control knobs	Adjustable feet
	Net weight: 110 kg
	Packaging dimensions: 1250 x 750 x 1100mm

Accessories

Cast Iron reversible griddle 27x21cm (ribbed and smooth)

Cast Iron reversible griddle 47x27cm (ribbed and smooth)

Round cast Iron reversible griddle Ø 25-53cm (ribbed and smooth)

Cast iron plate "coup de feu"

Ring wok Ø 25

Gastronorm GN2/1 or 2x GN1/1 chrome grid

Pan support: cast iron / iron

Product designed by [Athanasios Babalis](#)

Lazaridis D. Georgios & Co. EVEE
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel: +30 2310 688 020 Fax: +30 2310 688 021
vimitex@vimitex.gr
www.vimitex.gr



VIMITEX
TECHNOLOGY AND QUALITY

206STVBE

This heavy-duty gas cooker has been designed with the British and Irish cooking habits in mind. The cooktop features six double ring burners for even temperature distribution inside the pots. A simple gas control system with thermocouples direct to the burners prevents frequent failures and ensures the reliable operation of the appliance. The oven below has a large cooking chamber with an internal height of 40cm and tray dimensions 71x65cm. A very powerful burner and a well designed heat circulation system gives perfect baking results both in taste and in appearance.

Product family	Gas Cooker
Type	6 burner gas boiling with large static oven
Oven capacity	3 oven pack positions
Power	50 kW
Dimensions	910 x 800 x 955 mm
Power supply	Gas: LPG, natural gas

Technical Data / Cooktop

Burners: 6x7kW
Burner size: Ø140mm
Double ring burner
Pan support: cast iron
Safety control device: thermocouple
Pan size: Ø 160-350mm
Oil dip tray
Progressive control knobs

Technical Data / Oven

Oven burner: 8kW
Tray dimensions: 710x650 mm
Cooking chamber: stainless steel/steel
Safety control device: pilot flame
Ignition: piezoelectric
Thermostatic control: 100°-340°
Removable rack guides
Interior height 40 cm
Types of gas: G20: 20mbar, G30/G31: 28-30/37mbar, G30/G3: 50mbar
Material : stainless steel / iron / cast iron
Adjustable feet
Net weight: 95 kg
Packaging dimensions: 920 x 830 x 1100mm

Accessories

Cast Iron reversible griddle 27x21cm (ribbed and smooth)
Cast Iron reversible griddle 47x27cm (ribbed and smooth)
Round cast Iron reversible griddle Ø 25-53cm (ribbed and smooth)
Cast iron plate "coup de feu"
Ring wok Ø 25
710x650 mm chrome grid
Pan support: cast iron / iron

Lazaridis D. Georgios & Co. EVEE
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel: +30 2310 688 020 Fax: +30 2310 688 021
vimitex@vimitex.gr
www.vimitex.gr



STV704

This freestanding static oven is carefully built to distribute heat quickly and evenly across a GN2/1 or two GN 1/1 trays that it can hold simultaneously. A very powerful burner and a well designed heat circulation system gives perfect baking results both in taste and in appearance.

Product family	Gas Cooker
Type	Static oven
Oven capacity	3 oven pack positions
Power	8 kW
Dimensions	800 x 700 x 630 mm
Power supply	Gas: LPG, natural gas

Technical Data / Oven

Oven burner: 8kW
Tray dimensions: gastronorm GN2/1 or 2x GN1/1
Cooking chamber: stainless steel/iron
Safety control device: pilot flame
Ignition: piezoelectric
Thermostatic control: 100°-340°
Removable rack guides
Types of gas: G20: 20mbar, G30/G31: 28-30/37mbar, G30/G3: 50mbar
Material : stainless steel / iron / cast iron
Adjustable feet
Net weight: 55 kg
Packaging dimensions: 850 x 750 x 650mm

Accessories

Gastronorm GN2/1 or 2x GN1/1 chrome grid

Lazaridis D. Georgios & Co. EVEE
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel: +30 2310 688 020 Fax: +30 2310 688 021
vimitex@vimitex.gr
www.vimitex.gr



STV706L

This heavy duty, extra large gas cooker is the perfect solution for hotels, restaurants and other foodservice establishments where large quantities of food are prepared daily. The high temperature in the oven is easily spread out through a carefully designed flap system, which ensures perfect roasting across the extra large baking tray (93x65cm) it can accommodate.

Product family	Gas Cooker
Type	Static oven
Oven capacity	3 oven pack positions
Power	8 kW
Dimensions	1200 x 700 x 630 mm
Power supply	Gas: LPG, natural gas

Technical Data / Oven

Oven burner: 8kW
Tray dimensions: 930 x 650 mm
Cooking chamber: stainless steel/iron
Safety control device: pilot flame
Ignition: piezoelectric
Thermostatic control: 100°-340°
Removable rack guides
Types of gas: G20: 20mbar, G30/G31: 28-30/37mbar, G30/G3: 50mbar
Material : stainless steel / iron / cast iron
Adjustable feet
Net weight: 80 kg
Packaging dimensions: 1250 x 750 x 650mm

Accessories

930 x 650 mm chrome grid

Lazaridis D. Georgios & Co. EVEE
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel: +30 2310 688 020 Fax: +30 2310 688 021
vimitex@vimitex.gr
www.vimitex.gr



**VIMITEX**

TECHNOLOGY AND QUALITY

PROFESSIONAL CATERING EQUIPMENT

Lazaridis D. Georgios & Co. EVEE
6,5km Thessaloniki - Lagada P.O.Box 50167
540 13 Thessaloniki, Greece
Tel.: +30.2310.688.020 Fax: +30.2310.688.021
vimitex@vimitex.gr

www.vimitex.gr

